

ADRs (Adverse Drug Reactions) Related To Ayurvedic Medicine Used In COVID-19**Dr.Ravneet Kaur Chahal****Lecturer****Government Ayurvedic College****Patiala****Punjab****(Received:18April2024/Revised:12May2024/Accepted:16May2024/Published:20May2024)****Abstract**

Corona virus disease (COVID-19) is an infectious sickness brought about by the SARS-CoV-2 infection. This infection was beforehand obscure to clinical science. The first instance of Corona virus in Quite a while was accounted for on January 30, 2020, and it immediately spread all through the country. The seriousness of Corona virus had pointed out the difficulties confronting the medical care framework, similar fast sickness flare-ups required the combination of customary information frameworks and present day medication. Adverse Drug Reaction (ADR) is a reaction to a medication which is harmful and accidental, and which happens at remedial dosages. Because of an absence of precise documentation with respect to the event of ADR and different issues to the security of Ayurvedic medications, worry about the customary clinical framework has as of late been expanded. This is seen by an ascent in wellbeing reports and errors, particularly in the new pandemic. To screen and dissect the thought ADR to Ayurvedic meds utilized in Corona virus. ADR observing information was gathered through unconstrained and serious technique for a range of 2-year (April 2020 to April 2022) during the pinnacle long stretches of Corona virus from the IPvCC of the Public Establishment of Ayurveda, Jaipur, India. The IPvCC Program is administered by NPvCC under the oversight of Service of AYUSH, Govt. of India, New Delhi. NPvCC is eventually dependable to screen and suggest administrative mediations on the created public ADR information. Generally survey showed that Ayurveda has customarily been put areas of strength for an on medicines that plan to mend the hidden disease while forestalling the improvement of new sicknesses.

Keywords: Pharmacovigilance; Suspected ADR; Cap. Ayush 64; Sanshamni vati.**Introduction**

SARS-CoV-2, found in Wuhan, China, is a profoundly infectious microbe that spread rapidly all through the world, and which caused a pandemic of worldwide concern. As indicated by the World Wellbeing Association, 223 nations have been impacted, with almost 250 million individuals contaminated around the world. There is an absence of a particular treatment for SARS-CoV-2-incited serious intense respiratory condition, however powerful immunizations opened up by late 2020. Covid sickness (Corona virus) is an infectious disease brought about by the SARS-CoV-2 infection. This infection was beforehand obscure to clinical science. The first instance of Corona virus in Quite a while was accounted for on January 30, 2020, and it immediately spread all through the country. The seriousness of Corona virus had pointed out the difficulties confronting the medical care framework, similar fast sickness flare-ups required the combination of customary information frameworks and present day medication. The World Health Organization (WHO) was continually checking the sickness pandemic and refreshing the data accessible with respect to its spread, mortality, and horribleness. According to the Ayurvedic perspective, Corona virus goes under janapadodhwamsa vikara (plague sickness). The idea of a pestilence illnesses is depicted in Charaka Samhita. With suggested rules of AYUSH Service, Govt. of India, the utilization of Ayurvedic medication for Corona virus was expanded. Nonetheless, the broad misguided judgment about home grown prescriptions is that they are completely sans risk. Starting from the start of the pandemic, there have been a few potential medication possibility for Corona virus treatment, for example, lopinavir/ritonavir, interferon alpha 2b, umifenovir, chloroquine, remdesivir, favipiravir, mitigating drugs (like corticosteroids and different particles), and conventional meds. These were viewed as medication reusing or off-name, caring use drugs since there was an absence of clinical preliminary information supporting the utilization of these medications in Corona virus [4]. Thus, these medication treatment plans and posologies should be painstakingly explored to amplify their advantages with negligible poisonousness or unfriendly medication responses. Past reports have shown that the treatment of Corona virus patients with prior, noncommunicable sicknesses was mind boggling [2] and that they had an expanded gamble for drug-related unfriendly responses [1]. In mid 2020, in Cuba, the choice of medication reusing and off-name, caring use was talked about and supported by a specially appointed commission of the Cuban Exploration and Science Service of Wellbeing. An agreement convention of case the board and treatment was supported in Walk 2020, which included merciful utilization of lopinavir/ritonavir, interferon α , and chloroquine for all

hospitalized patients that tried positive on a SARS-CoV-2 RT-PCR test, regardless of whether they were asymptomatic. COVID-19 is a rapidly changing and evolving situation. World Health Organization (WHO) is constantly monitoring it and updating the information available regarding its spread, mortality, and morbidity. So far in Modern Western Medicine (MWM), no cure has been found which is specific to COVID-19. There is plenty of evidence as to how Traditional Chinese Medicine (TCM) has been put to use in China to contain COVID-19 [[1], [2], [3]].

Fever (Jwara) is surely known in Ayurveda and it possesses in treatment (chikitsa) in two of the sanctioned texts of Ayurveda, in particular Charaka Samhita and Ashtanga Hrdayam. It manages finding (nidanam), pathophysiology (samprapti), characterization, the board, prescriptions, diet and forecast. For this situation, the fever was analyzed according to his introducing side effects as a Vata Kapha overwhelming one [4, Nidana Sthana, 2/25], requiring suitable administration. Accordingly, the patient tried positive for Corona virus.

According to the Ayurvedic perspective, Corona virus is a janapadodhwamsa vikara (scourge sickness). The idea of a scourge is depicted in Charaka Samhita: Vimana Sthana, Section 3. "... despite the fact that there is difference in the actual constitution of people, still there are such factors which are normal to all people and vitiation of these variables prompts the synchronous sign of illnesses having similar arrangement of side effects prompting the obliteration of nations. Factors which are normal for every one of the occupants of a nation are air, water, area and seasons." [5, Vimana Sthana, 3/6] Janapadodhwamsa is what is happening where the climate - air, water, land and seasons - is vitiated, causing a concurrent sign of an illness among huge populaces (scourge), obliterating human homes.

In India there is priority of treating the Chikungunya infection plague with Ayurveda and Siddha medications [6]. Be that as it may, there is no endeavor in India to straightforwardly utilize Ayurvedic prescriptions in the treatment of Covid illness. In this setting we give this contextual investigation where a patient of Covid sickness tried positive in New York, oversaw completely with Ayurvedic drugs to get completely feeling better of his side effects.

As the original SARS-Co-V2 infection, later named Corona virus, arose and immediately turned into a pandemic, clinical scientists overall mixed to find out about this infection to track down focuses for treatment. This exploration advanced at previously unheard of rates yet appeared to be distressingly delayed for clinicians treating the most diseased of these patients. As seen with other novel irresistible specialists flare-ups, many started to attempt off name utilizations of normal

meds or prescriptions with known activity on infections overall and frequently different drugs immediately. Taking a gander at only a portion of these meds utilized and their realized secondary effects is concerning also.

Perhaps the earliest treatment to be investigated was chloroquine and hydroxychloroquine. This medication has for some time been utilized for jungle fever and fiery infections. A few little contextual investigations and non-randomized preliminaries showed guarantee from the get-go. There was negligible information on dosing routine for viability and wellbeing. Large numbers of the dosing regimens were well above standard dosing regimens for laid out utilizes [2]. One of the known symptoms of chloroquine and hydroxychloroquine treatment is QTC prolongation in few patients. No information exists for these new dosing regimens and the possible impact on the QTC. Azithromycin was frequently joined with chloroquine/hydroxychloroquine which is likewise a QT dragging out specialist. Studies have even shown an expanded penchant for QT prolongation in those 60-80 years of age [3]. The hydroxychloroquine treatment was ultimately displayed in a randomized control preliminary to have no reduction in mortality and really showed a higher pace of mechanical ventilation as well as diminished possibilities of leaving the clinic at 28 days.

Antiviral and antiretroviral meds likewise proceeded as exploratory medicines. Lopinavir/ritonavir was one of these attempted. It is endorsed in the USA for treatment of HIV and has been read up in little examples for the treatment of SARS and MERS [4]. Normal aftereffects incorporate GI side effects as well as migraine, tiredness or unsteadiness. Ribavirin which is known to repress RNA-subordinate RNA polymerase was another early up-and-comer. Early seat work had shown promising action in-vitro against other Covids [5]; be that as it may, later examinations showed an absence of powerful in vitro action against SARS-COV2 except if in high focus. At the point when high portions were utilized to acquire high medication focuses, huge hematologic aftereffects were found in SARS and MERS preliminaries further expanding hazard of ADRs. Survey of studies from the SARs episode and treatment with ribavirin were uncertain for benefits [6].

Remdesivir showed guarantee as a treatment as it had shown action against RNA infections in the SARS and MERS flare-ups. In vitro testing showed this impact on SARS-CoV-2 likewise [7]. Normal responses incorporate GI side effects and hyperglycemia while a portion of the more

serious impacts are intense kidney injury, AST/ALT height and seizures. With this more up to date medicine, data about drug cooperations is restricted.

Unfriendly medication responses (ADR) are a prominent normal clinical issue and can prompt dreariness and mortality. Treatment with new prescriptions or generally utilized meds with various dose regimens can prompt antagonistic medication responses that are more serious or at this point unnoticed in clinical treatment. A concentrate out of the VigiBase information base taking a gander at unfavorable medication responses with drugs generally being utilized to treat Corona virus. They likewise contrasted the unfriendly medication responses seen and individuals involving these prescriptions for non-Corona virus signs versus those unfavorable medication responses seen with those involving it for Corona virus. Their numbers show a lot more significant levels of revealed ADR detailed in the patients involving the drugs for Corona virus. They likewise showed an in the middle of between the revealed responses between genders [8]. With the vulnerability most clinicians feel watching their patients being so sick and having restricted helpful choices numerous medication therapy has become normal. This multidrug treatment can prompt medication collaborations notwithstanding the unfriendly medication responses.

Drug Repurposing And Reported Adverse Drug Reactions (ADRs)

Already, drug reusing of different accessible medications was utilized for Corona virus treatment [2]. In any case, a few distributed articles have detailed cardiovascular unfavorable medication response (ADRs) related with hydroxychloroquine and chloroquine [3], extreme erratic responses in rheumatic sicknesses, drug-prompted liver injury, pancreatitis and pneumonic fibrosis due to the tocilizumab [4], hydroxychloroquine experienced serious mental issues [5], an expanded gamble of disease and thrombotic occasions due to baricitinib [6] and orientation variations in the revealing examples of medicine utilized in Corona virus therapy [7]. Data about a few endorsed drugs (chloroquine, hydroxychloroquine, angiotensin-changing over compound inhibitors, angiotensin II receptor bad guys, non-steroidal calming drugs, umifenovir and favipiravir) for different signs has been dispersed, which might have brought about ill-advised and hurtful use and in this way prompts ADRs improvement [8]. It was likewise tended to in a new efficient survey and meta-examination that the viability and security of either hydroxychloroquine alone or in blend with azithromycin in the treatment of Corona virus probably won't be ensured [9]. Besides, as per a new examination article, the occurrence of ADRs was 4.75-overlap higher in

Corona virus patients when contrasted with non-Corona virus patients. The much of the time revealed ADRs were pancytopenia, agranulocytosis, thrombocytopenia, iron deficiency, eosinophilia, hepatitis, pancreatitis, intense kidney injury, rhabdomyolysis, and hyponatremia. Tocilizumab, dexketoprofen, azithromycin, lopinavir-ritonavir, dexamethasone, and chloroquine/hydroxychloroquine were the most regularly recorded meds with ADRs [8]. Antagonistic impacts were normal, showed up in up to 90% of patients with higher portion and longer term [2].

Ayurvedic Interpretation Of The Patient's Condition

Diagnosis

In this specific case, the analysis was at first made, in light of his side effects and the season. Since the Corona virus conclusion had not yet been made, we viewed at the side effects as those of a nija jwara (brought about by the disequilibrium of the substantial doshas), a fever with Vata-kapha power and gave fitting meds, diet and routine. The last conclusion was shown up at in light of the tremendous writing accessible on Corona virus in the public space [7,8] and side effects as detailed by the patient. Fevers are characterized by the disturbed doshas (illness causing factors), which permits us to see a wide range of new and arising fevers.

Pathophysiology (Samprapti)

In this roga (illness), the Roga Marga is abhyantara [4, Sutra Sthana, 12/44-49], as jwara (fever), svasa (respiratory pain) and kasa (hack), the three significant side effects of Corona virus have a place with this roga marga. Abhyantara roga marga is one of the three roga margas or "pathways of illness" as portrayed in Ashtanga Hrdayam. There is Pranavaha sroto dushti [5, Vimana Sthana, 5/7] saw in this illness, as there is serious respiratory misery alongside different side effects, in some cases prompting passing. The seat of burden of this illness is fundamentally Uras (chest locale).

In view of the above mentioned, Covid sickness can be connected as Agantuja Sannipataja Jwara, which is of Vata-Kapha prevalence [5, Chikitsa Sthana, 3/92; 3/128-129]. This jwara can be delegated being agantu (outside) brought about by Bhoota Abhishanga [5, Chikitsa Sthana, 3/111, 3/114], which exasperates all the three doshas. Since all the three doshas are irritated it is named Sannipata. The spread and torment brought about by the infection in this jwara can be perceived in Ayurveda under the Bhoota abhishanga arrangement. As per Ayurveda, agantu jwara is to be

treated as a nija jwara brought about by an unevenness of doshas [5, Sutra Sthana, 19/7, Chikitsa Sthana, 3/128].

Etiology

As per MWM, the etiology of this disease is presently credited to a clever infection having a place with the Covid (CoV) family. It is presently named SARS-CoV-2 [9]. In Ayurveda it very well may be ordered/connected with a Vata-kapha transcendent fever with every one of the qualities of a Janapadodhwamsa vikara. It is a profoundly infectious sickness. The strategies by which infectious sicknesses spread starting with one individual then onto the next is portrayed in Susruta Samhita: Nidana Sthana, "Skin sicknesses, fever, utilization, conjunctivitis and all infectious illnesses spread from one individual to another, by extravagance in substantial contact, by (coming into contact with another's) breath, eating with others in a similar plate, sharing of bed and seat, through (contact with) garments, trimmings, and beauty care products." [10]

Discussion

It has been noticed that main few Ayurvedic prescriptions are utilized by patients as over the counter (OTC) drugs. In an assortment of medical care offices, these OTCs are made available for purchase as either home grown meds or natural items. A few unfavorable occasions have likewise been recorded because of lacking administrative measures, generally uncontrolled conveyance strategies, for example, mail request or online deals, low quality control frameworks, and mistaken administration.¹⁵ Specialists from trustworthy public examination associations have found that the polyherbal detailing AYUSH-64 can be utilized as a supplemental treatment for asymptomatic, gentle and direct Corona virus infection.¹⁶ At the Public Establishment of Sustenance in Hyderabad (NIN-ICMR), a pre-clinical examination was likewise completed to survey the resistant modulatory potential and wellbeing/harmfulness of the AYUSH Kwatha plan. The Service has led cross country communitybased concentrates on through its Exploration Committees (CCRAS) and educated these Public Organizations for mass conveyance of AYUSH-64 to asymptomatic, gentle to direct Corona virus patients in home disconnection during the second Corona virus episode in India in view of the potential leads recognized through different examinations. A clinical preliminary contrasting the viability/security of Ashwagandha with Hydroxychloroquine Sulfate (HCQ) for Corona virus Prophylaxis in high-risk medical care laborers showed that Ashwagandha is non-sub-par compared to Hydroxychloroquine regarding prophylactic impact against Corona virus. Further, it has an unrivaled wellbeing profile as

fundamentally less unfavorable occasions were accounted for in the Ashwagandha bunch contrasted with HCQ bunch. As seen in clinical tests directed during the Corona virus pandemic, the plan known as Guduchi Ghana vati or Samshamani Vati, which is produced using fluid concentrates of the stem of *Tinospora cordifolia*, well affected individuals' resistant framework and general prosperity. Most review members consumed guduchi ghan vati. This agreeable medication consistence might rely upon the portion, measurement structure, and attractiveness of the recipe. Gastrointestinal issues were rarely seen as ADR/AE in patients and were dealt with dietary guidance, changes to medicine organization plans, and so on. No extreme ADRs or serious AEs that required hospitalization happened with guduchi. The outcomes support the prophylaxis capability of Chyawanprash as one of the preventive solutions for Corona virus. It has been found compelling and protected among the high-risk medical services laborers and clearly solid people in diminishing the frequency of Corona virus.

Therapeutic Intervention

Therapeutic intervention consisted of three components, namely, medicines, diet and regimen.

The patient had self-quarantined from the first day of fever. Details of the medicines given in two stages of his condition, namely fever and convalescence are given below in Table 1.

Table 1. Therapeutic intervention

| Empty Cell | Stage 1: Jwara Day 1–13 | Stage 2: Jwara Mukti Day 14–30 |
|------------|--|--|
| Medicines | <ul style="list-style-type: none"> •Sudarsana Churna - [11] 4 tablets (2 gms) in room temperature water Tid; •Talisadi Churna - [5, Chikitsa Sthana, 8/145-148] 1tsp with honey Tid; •Dhanwantara Gutika - [12] 2 tablets Tid | Vidaryadi Ghritam – [4, Chikitsa Sthana, 3/10] 15 ml Bid |
| Diet | Rice porridge, Yusha and Bhakta [13] | Include milk, ghee [5, Chikitsa Sthana, 3/164-165, 3/167-168] |
| Regimen | Avoid sleeping during the day (Divaswapna) and keeping awake at night (Ratri jagarana) | Avoid sleeping during the day (Divaswapna) and keeping awake at night (Ratri jagarana) |

Here it is pertinent to point out that the three medicines used in the management of COVID-19 are all classical preparations. The mode of actions of each of them as per the texts are the following:

Sudarsana Churna: Alleviates all the three doshas; cures all types of fevers including Agantuja jwara, Sannipata jwara etc., Dhanvantara Gutika: cures Svasa, Kasa; Vaataanulomana (aiding the normal flow of vayu), Talisadi Churna: cures Jwara, svasa, kasa, aruchi (loss of taste); Deepanam (stimulates digestion).

Limitations

Since this is a solitary contextual investigation, it requires a bigger example to be contemplated, before we can foster a standard convention for the treatment of Corona virus. The actual distance between the patient and specialist made it challenging to straightforwardly look at and notice the patient. Treatment convention comprised exclusively of three Ayurvedic drugs, as the patient turned out to be in New York and we worked with what prescriptions he had available. The drugs utilized for dealing with the condition must be chosen from a restricted arrangement of medications that the patient had with him. There are countless Ayurvedic drugs that are at present being used for a wide range of Vata-Kaphaja and Sannipataja jwara which might end up being successful for Corona virus.

Strengths

It is seen that the patient's condition didn't fall apart. So it very well may be assumed that the administration of Corona virus with the given Ayurvedic drugs captured the advancement of the sickness to a more serious state. In spite of the patient having extreme hack and fever more than 39.1 °C, the patient didn't decline and foster shortness of breath.

"Middle time for beginning of side effects to recuperation in gentle and serious cases was 2 and 3 a month and a half, separately. Moreover, time stretch among beginning and creating serious side effects, for example, hypoxia was multi week." [4] This patient had recuperated in 7 days. Consequently one might say that the length of the infection was apparently more limited due to the Ayurvedic meds as it was noted where TCM was utilized [2]. This viewpoint should be concentrated further.

There are Corona virus patients who test positive, however are asymptomatic. This case can be delegated gentle to direct in nature. There is "scant and uncertain proof on side effects that effectively recognize gentle and direct cases." [5] In any case, fever above 39.1 °C (102.2 °F) isn't viewed as gentle. " Numerous gentle cases likewise have not very many side effects, and hack is available in under portion of the gentle cases." [5] This patient showed a significant number of the side effects, including extreme body torment, serious hack, anosmia, stomach

torment, and had a pinnacle temperature of 39.5 °C (103 °F), we believe this case to be not exceptionally gentle, yet gentle to direct.

The directed eating routine assumed a significant strong part in the fix. The eating regimen was prompted so it didn't further bother the doshas, it was not difficult to process (laghu), it animated the stomach related fire (Agni deepanam) and it supported the patient [5], Chikitsa Sthana, 3/142-143, 3/163-164]. The eating regimen suggested for the patient, to be specific soup made of mung dal and cooked parboiled rice are remembered for the suggested diet in administration of fevers. These are two of a few arrangements as portrayed in the texts, as a component of a bigger specifying of food arrangements and their consequences for doshas and illnesses.

We report this case to show that Corona virus is a condition where utilization of Ayurvedic drugs and eat less carbs could have added to the case not turning basically sick.

Conclusion

As seen in clinical tests directed during the Corona virus pandemic, the plan known as Guduchi Ghana vati or Samshamani Vati, which is produced using fluid concentrates of the stem of *Tinospora cordifolia*, well affected individuals' resistant framework and general prosperity. Most review members consumed guduchi ghan vati. This agreeable medication consistence might rely upon the portion, measurement structure, and attractiveness of the recipe. In light of the review results of the clinical preliminaries embraced during Corona virus pandemic, these Ayush prescriptions are proposed for Corona virus prophylaxis and the board. Further, the security of these mediations isn't an issue however, for example, these intercessions seem to be regularly utilized in the clinical practice since ages. In addition, there is far and wide acknowledgment in regards to the adequacy and security of Ayush mediations in like manner sicknesses among the majority. At the point when a medication is taken in legitimate structure, portion, time and with explicit Anupana, then, at that point, there is less possibility bringing on any ADR. The ebb and flow comprehension of Corona virus shows that great invulnerable status is essential for anticipation and protect from sickness movement. Ayush mediations can unquestionably assume a crucial part in the regulation of safe framework in this manner giving prophylaxis against Corona virus and counteraction of sickness movement in Corona virus patients.

References

- [1].Kumari, M., Ramamurthy, A., Rath, S., & Rahman, S. Z. (2024). ADRs (Adverse Drug Reactions) related to ayurvedic medicine used in COVID-19. *Bangladesh Journal of Medical Science*, 23(1).
- [2].Agrawal, A., Sharma, A., Mathur, M., Sharma, A., Modi, G., & Patel, T. (2023). Perspective toward complementary & alternative medicines in the prevention of COVID-19 infection. *Indian Journal of Community Medicine*, 48(3), 401-406.
- [3].Nesari, T., Rajagopala, S. K., Kapoor, A., Kadam, S., Vyas, M., Huddar, V. G., ... & Tripathi, R. (2024). Promising role of traditional Indian Ayurvedic medicine in treatment, management and better clinical outcomes of COVID-19 patients: a retrospective study. *Journal of Herbal Medicine*, 45, 100868.
- [4].Chopra, A., Tillu, G., Chuadhary, K., Reddy, G., Srivastava, A., Lakdawala, M., ... & Patwardhan, B. (2023). Co-administration of AYUSH 64 as an adjunct to standard of care in mild and moderate COVID-19: A randomized, controlled, multicentric clinical trial. *Plos one*, 18(3), e0282688.
- [5].Bhandari, R. B., Balkrishna, A., Maheshkumar, K., & Arumugam, V. A. (2023). Traditional Formulations for Managing COVID-19: A Systematic Review. *Journal of Integrative and Complementary Medicine*.
- [6].Jadhav, P. S., Tamboli, S. B., & Parsode, R. B. (2023). Adverse Drug Reaction (ADR) of Hydroxychloroquine (HCQ) in the-Preexposure Prophylaxis (PrEP) of COVID-19 in Health Care Professionals in a Tertiary Care Teaching Hospital. *Journal of Pharmaceutical Research*, 22(4), 207.
- [7].Gupta, R. S., Roy, S., Bose, R., & Mandal, P. (2023). Impact of Ayush Alternative Medicine Interventions in the COVID-19 Pandemic. *Archives of Pharmacy Practice*, 14(2-2023), 37-43.
- [8].Sharma, S., Nair, N., Majeed, J., Patel, B., Mandal, V., & Dhobi, M. (2023). Critically analyzing the resilience of alternative and complementary medicines as possible COVID-19 intervention: A cross-sectional study based on CTRI database. *Journal of Herbal Medicine*, 41, 100730.
- [9].Rane, B. R., Telange, T. S., Waghchaure, P. S., Keservani, R. K., & Jain, A. S. (2024). COVID-19 Pandemic: Role of Ayurveda for Prevention and Treatment. In

COVID-19 and Immunomodulation with Special Emphasis on Nutraceutical and Herbal Formulation (pp. 107-138). Apple Academic Press.

- [10]. Krishnamurthy, V., & Sankaramourthy, D. (2024). COVID-19, its Prevention and Treatment in the light of Ayush Medicines. *Pharmacological Research-Natural Products*, 100040.
- [11]. Kumar, S., Eranezhath, S. S., Vishwanathan, V. K., Kakarla, M. S., Chenthamarakshan, C., Selvaraj, L., ... & Furst, D. (2024). A Prospective, Controlled, Pilot Study of Personalised Add-on Ayurveda Treatment in High-Risk Type II Diabetes COVID-19 Patients. *Journal of Herbal Medicine*, 43, 100836.
- [12]. Shankar, K. P., Pratibha, P. N., & Saritha, V. (2023). Ayurvedic management of neurological deficits post COVID-19 vaccination-A report of two cases. *Journal of Ayurveda and Integrative Medicine*, 14(3), 100737.
- [13]. Patel, B. P., & Prasad, S. M. (2023). Traditional Medicines Guidelines for COVID 19: A Review. *Journal of Ayurveda Campus*, 4(1).
- [14]. Panda, D. S., & Alotaibi, N. H. (2023). COVID-19 self-medication treatment: Media's adverse effect based on people's level of education. *Journal of Emergency Management*, 21(7), 283-287.
- [15]. Dutta, S., Singhal, S., & Shah, R. (2024). A Systematic Analysis of COVID-19 Clinical Trials Registered in the Clinical Trials Registry of India. *Cureus*, 16(4).